

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	(bind\$5 seal\$5 sign\$5 hash\$5) with ((environment platform hardware) near5 (metric specification criteria criterion)) and 713/185,189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 13:36
L2	6	(bind\$5 seal\$5 sign\$5 hash\$5) with ((environment platform hardware) near5 (metric specification criteria criterion)) and 726/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 13:40
L3	10	(bind\$5 seal\$5 sign\$5 hash\$5) same ((environment platform hardware) near5 (metric specification criteria criterion)) and 726/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 13:40
L4	23	(bind\$5 seal\$5 sign\$5 hash\$5) same ((environment platform hardware) near5 (metric specification criteria criterion)) and 713/185,189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 13:40
L5	9	l4 not l1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 13:40
L6	2	"5933498".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 13:43
L7	2	((bind\$5 seal\$5 sign\$5 hash\$5) with (((first and second) (physical and virtual)) near5 (token component))) same ((environment platform hardware) near5 (metric specification criteria criterion))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 13:56
L8	1	((bind\$5 seal\$5 sign\$5 hash\$5) with (((first and second) (physical and virtual)) near5 (token component))) same ((environment platform hardware) near5 (metric specification criteria criterion)). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 13:57

L9	0	((bind\$5 seal\$5 sign\$5 hash\$5) with (((first and second) (physical and virtual)) near5 (token component))) same ((environment platform hardware) near5 (metric specification criteria criterion)) and 380/277.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 14:11
L10	0	((bind\$5 seal\$5 sign\$5 hash\$5) with (((first and second) (physical and virtual)) near5 (token component))) same ((environment platform hardware) near5 (metric specification criteria criterion)) and 713/164.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 14:12
S1	2	(unseal or un-seal) near token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 13:16
S2	8	(unseal or un-seal) near5 token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:04
S3	6	S2 not S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:09
S4	2	"4278837".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:16
S5	3	"4307214".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:43
S6	2	"4366537".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:48
S7	2	"4521852".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:49
S8	2	"5075842".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:55

S9	2	"5022077".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:00
S10	2	"5255379".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:00
S11	2	"5293424".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:00
S12	2	"5421006".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:01
S13	2	"5459869".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:02
S14	2	"5473692".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:03
S15	2	"5479509".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:03
S16	2	"5568552".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:48
S17	799	713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:49
S18	718	S17 and bet\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:50
S19	279	S18 and signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:06

S20	0	S19 and (multi-token near5 object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:07
S21	0	S19 and (multi-token near5 seal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:16
S22	3	S19 and (seal\$5 near5 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:17
S23	3	S17 and (seal\$5 near5 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:18
S24	0	S23 not S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:17
S25	53	S17 and ((digital near4 sign\$7) near8 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:20
S26	207	S17 and ((commit\$7 or digital) near5 signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:24
S27	4	S26 and auction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:21
S28	8	S26 and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:50
S29	1	bed\$6 and (commitment near5 signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:54
S30	9	bid\$6 and (commitment near5 signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:17

S31	2	"5,794,219".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:15
S32	73	bid\$6 and (asymmetric near3 key) and ((public and private) near3 key) and (digest or hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 12:44
S33	2	(commitment near5 signature) and arani	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 12:49
S34	149	virtual near3 (smart near card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:50
S35	4	S34 and (asymmetric near3 key) and ((public and private) near3 key) and (digest or hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:42
S36	11	S34 and (seal and unseal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:44
S37	2	(commitment near5 signature) and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:30
S38	1	S32 and (seal and unseal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 12:49
S39	0	S34 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 12:50
S40	0	(token and (virtual near token)) and (electrical\$5 near10 (seal and unseal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 12:55
S41	2	(token and (virtual near token)) same (seal and unseal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 12:55

S42	6	(token and (virtual near token)) and (seal and unseal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 12:55
S43	4	S42 not S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 12:55
S44	27	S34 and ((public and private) near3 key) and (digest or hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:09
S45	11	S44 and (seal and unseal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:44
S46	498	virtual near3 (token or (smart near card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:50
S47	66	S46 and "RSA" and (hash or digest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:55
S48	60	S47 and ((public and private) near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:02
S49	55	S48 and register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:56
S50	15	S49 and seal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:57
S51	55	S48 and register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:02
S52	54	(seal and unseal) and ((public and private) near3 key) and (digest or hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:11

S53	0	S52 and (retriev\$5 near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:12
S54	0	S52 and (retriev\$5 near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:12
S55	42	S52 and (retriev\$5 near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:13
S56	3	((commitment near5 signature) and (token and ((public and private) near key) and (hash or digest))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:34
S57	1490	(token and ((public and private) near key) and (hash or digest))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:54
S58	27	S57 and (seal and unseal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:38
S59	24	S57 and (cryptographic near seal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:39
S60	24	S59 not S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:39
S61	513	((smart near card) and (retriev \$5 near4 key) and ((public and private) near key) and (hash or digest))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:47
S62	17	S61 and (seal and unseal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:47
S63	14	S62 and (second near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:48

S64	3	((multi-token and ((public and private) near key) and (hash or digest)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:02
S65	0	((secur\$5 near5 (software near distribution)) and (seal and unseal) and ((public and private) near key) and (hash or digest))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:04
S66	8	((distribut\$5 near5 software) and (seal and unseal) and ((public and private) near key) and (hash or digest))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:07
S67	0	((distribut\$5 near5 software) and ((seal and unseal) near5 application) and ((public and private) near key) and (hash or digest))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:13
S68	801	713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:13
S69	36	S68 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:15
S70	3	S69 and (seal and unseal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:16
S71	13	S69 and (retriev\$5 near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:19
S72	1	S69 and (cryptographic near seal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:19
S73	3	S69 and (cryptographic\$5 near5 seal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:23
S74	11	S68 and (seal\$5 near2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:23

S75	8	S74 not S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:23
S76	13	(commitment near5 signature) and (((multiple or several or another) near5 key) and ((public and private) near key) and (hash or digest))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:18
S77	2	"20030037037"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 18:31
S78	2	"20030037237"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 18:31
S79	10447	encrypt near5 key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:01
S80	6644	encrypted near key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:17
S81	47	S80 and (seal and unseal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:47
S82	1208	S80 and ((first and second) near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:31
S83	455	S82 and ((public and private) near key) and (hash or digest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:19
S84	21	S83 and seal and unseal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:19
S85	6	S80 and (("first key" and "second key") and ("seal" and "unseal")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:41

S86	38	S80 and (stor\$5 near5 (device near3 environment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:41
S87	0	S86 and (("first key" and "second key") and ("seal" and "unseal"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:42
S88	9	S86 and (((public and private) near8 key) and ("seal" and "unseal"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:47
S89	2027	"tpm"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:47
S90	31	S89 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:47
S91	20	S89 and (seal and unseal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:48
S92	16	S91 and ((public and private) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:49
S93	14	S91 and ((public and private) near5 key) and "rsa"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 20:02
S94	2	"6148342".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 20:02
S95	2	"4757534".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 20:03
S96	2	"20040166834"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 20:04

S97	2	"20040022237"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 20:04
S98	258	tpm and register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 07:36
S99	182	S98 and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 06:56
S100	55	S99 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 07:04
S101	0	08/872710.ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 07:04
S102	2	08/872710	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 07:04
S103	120	"trusted platform module" and register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 07:50
S104	91	S103 not S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 07:38
S105	51	S104 and ((public and private) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 07:39
S106	49	S105 and (hash or digest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 07:39
S107	49	"trusted platform module" and "platform configuration register"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 08:13

S108	2	"20030110372"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 08:13
S109	362	double near5 encryption	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 13:37
S110	0	S109 and ((environment near5 metrics) same key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 13:38
S111	78	S109 and (environment same key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 13:38
S112	47	S111 and ((first and second) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 13:41
S113	30	S112 and (public near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 13:58
S114	0	S113 and ((physical and virtual) near5 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 13:49
S115	9	S113 and (smart near card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 13:49
S116	0	S113 and (environment\$5 near4 criteri\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 14:43
S117	2	"20020002413"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 14:50
S118	1	p2000-197477	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 14:48

S119	0	"Contents distribution system, portable terminal player, and contents provider"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 14:49
S120	2375	"Contents distribution system"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 14:49
S121	2	S120 and tokue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 14:49
S122	2	"20020031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 14:50
S123	21	(unseal or un-seal) near5 message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:20
S124	17	S123 and (token or (smart near card)) and (public near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:31
S125	412	pcr near register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:37
S126	6	S125 and 713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:47
S127	4	"platform configuration register" and 713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:46
S128	72	"platform configuration register"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:47
S129	0	S128 and @pd< "20020222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:46

S130	6939	"configuration register"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:00
S131	818	l6and 713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:47
S132	13	S130 and 713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:00
S133	9	S132 not S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:48
S134	68	"hardware configuration register"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:00
S135	0	S134 and 713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:18
S136	1	S134 and seal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:01
S137	10	seal and 713/167.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:27
S138	11003	multiple near5 key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:28
S139	772	S138 and (smart near card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 15:10
S140	435	S139 and ((public and private) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:30

S141	257	S140 and ((first and second) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:32
S142	181	S141 and (encrypted near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:54
S143	181	S142 and (decrypt\$5 near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:57
S144	71	S138 and ((smart near card) near10 (public near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 15:50
S145	2	"20020191791"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 15:50
S146	2	"20020191792"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 15:50
S147	97	(physical and virtual) near5 token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 12:06
S148	0	S147 and (retriev\$5 near5 (first near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 12:07
S149	0	S147 and (retreiv\$5 near5 (first near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 12:09
S150	1	S147 and (decrypt\$5 near5 (first near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 12:10
S151	314	((retriev\$5 or decrypt\$5) near5 ((first and second) adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 12:21

S152	1	S151 and (smart adj card) and (virtual adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 13:44
S153	4	S151 and (virtual adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 13:44
S154	2	"6,363,486".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 12:07
S155	2	"20030163711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:53
S156	2	"6757824".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:56
S157	2	"20030097578"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 11:02
S158	6	"09287698"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 14:17
S159	2	"6363486".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 14:38
S160	1436	"key encryption key"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 14:38
S161	58	"key encryption key" near5 decrypt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 14:40
S162	8	S161 and kek	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 14:40

S163	16	713/189.ccls. and ((first and second) near5 (token or key)) and ((first and second) near5 component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:09
S164	1	713/189.ccls. and (pcr near4 register) and ((first and second) near5 (token or key)) and ((first and second) near5 component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:06
S165	7	713/189.ccls. and (pcr near4 register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:06
S166	6	S165 not S164	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:06
S167	0	S166 and ((physical and virtual) near5 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:08
S168	3	S166 and "trusted platform module"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:09
S169	20	713/189.ccls. and "trusted platform module"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:09
S170	19	S169 not S164	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:11
S171	5	S170 and seal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:12
S172	14	S170 not S171	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 10:13
S173	429	dbc and ((first and second) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 10:13

S174	24	S173 and (generat\$5 near5 password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 10:33
S175	32	S173 and (generat\$5 near5 (third near5 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 10:33
S176	18	S175 and ((first and second) near5 (block or portion))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 10:34
S177	91	seal near5 token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 13:28
S178	152	seal\$5 near5 token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 13:28
S179	30	S178 and (multi-token ((multiple plurality) with token))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 13:52
S180	0	S179 and ((public and private) near5 key) and (RSA with cryptograph\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 13:53
S181	11	S179 and ((public and private) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:02
S182	0	"6363486.pn"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 13:57
S183	0	"6363486.pn."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 13:57
S184	2	"6363486".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 13:57

S185	6	S179 and ((public and private) near5 key) and tpm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:08
S186	6	S179 and tpm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:10
S187	67	(certif\$5 near5 platform) and tpm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:17
S188	0	S187 and (unseal\$5 with (first and second))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:11
S189	0	S187 and (seal\$5 with (first and second))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:11
S190	24	S187 and (seal\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:11
S191	0	713\172,189.ccls. and tpm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:18
S192	33	713/172,189.ccls. and tpm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:20
S193	9	713/172,189.ccls. and tpm and (seal\$5 with (token certificate key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:24
S194	0	713/172,189, "168".ccls. and tpm and ((seal\$5 with platform) with (token certificate key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:25
S195	4	713/172,189,168.ccls. and tpm and ((seal\$5 with platform) with (token certificate key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 15:57

S196	44	713/172,189,168.ccls. and tpm and ((certif\$5 secur\$5) with platform)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:33
S197	6	S196 and (seal\$5 and unseal\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:35
S198	6	S196 and ((seal\$5 bind\$5) and (unseal\$5 unbind\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:37
S199	73	tpm and ((seal\$5 bind\$5) and (unseal\$5 unbind\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:37
S200	67	S199 not S198	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:55
S201	26008365	S200 @pd<="20020222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:44
S202	1	S200 and @pd<="20020222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 14:44
S203	2	"6401208".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 15:24
S204	24	S200 and (security near5 module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 15:28
S205	2	"5768390".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 15:28
S206	46	713/172,189,168,155.ccls. and tpm and ((seal\$5 bind\$5 authenticat\$5) with (token certificate module))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 16:13

S207	79	tpm and ((seal\$5 bind\$5) with (public near5 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 17:20
S208	8	S207 and ((unseal\$5 unbind\$5) with (private near5 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 16:17
S209	48	S207 and ((certif\$5) with ((public and private) near5 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 16:18
S210	47	S209 not S208	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 16:22
S211	46	S210 and (digital\$5 near5 sign \$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 17:15
S212	1	S209 and ((first and second) with (security near5 module))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 17:16
S213	1	S209 and ((first and second) with module) same (decrypt\$5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 17:16
S214	0	S209 and ((first and second) with module) same (decrypt\$5 near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 17:16
S215	184	tpm and ((decrypt\$5 unseal\$5 unbind\$5) with (encrypted near6 (object item key data content)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 17:22
S216	73	tpm and ((decrypt\$5 unseal\$5 unbind\$5) with (encrypted near6 (object item key data content))) same ((public and private) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 17:23
S217	69	S216 not S211	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 17:32

S218	34	(first and second) with (security near5 module) same (public near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 10:15
S219	6	S218 and (first near5 key) with (decrypt\$5 near6 (second near6 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 17:36
S220	1628	(decrypt\$5 with ((first and second) near5 key)) and ((first near5 key) near4 (decrypt\$5 near6 (second near6 key)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 17:38
S221	249	((decrypt\$5 with ((first and second) near5 key)) with ((public and private) near4 key)) and ((first near5 key) near4 (decrypt\$5 near6 (second near6 key)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 17:39
S222	2	"5768390".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 17:44
S223	143	(invers\$5 near5 proportional) with (standard near3 deviation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 10:15
S224	93	S223 and (magnitude strength)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 10:18
S225	1	S224 and (pre-processor preprocessor) and (post-processor postprocessor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 10:19
S226	38	S224 and ((before prior) near7 process\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 10:20
S227	55	S224 and ((before prior) near7 (process\$5 combin\$5 add\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 10:24
S228	1	S224 and ((before prior) with ((process\$5 combin\$5 add\$5) near7 coefficient))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 10:25

S229	3279	l1 and ((before prior) with ((process\$5 combin\$5 add\$5) near7 coefficient))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 10:25
S230	2	S223 and ((before prior) with ((process\$5 combin\$5 add\$5) near7 coefficient))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 10:27
S231	27	S223 and non-linear	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 11:55
S232	2	revak.xa. and england.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 12:06
S233	2922	(seal\$5 unseal\$5 encrypt\$5 decrypt\$5) with (token dongle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 12:14
S234	2629	S233 and (combin\$5 assembl\$5 add\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 12:22
S235	69	S234 and tpm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 12:18
S236	51	"6012144"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 12:19
S237	3237	tpm "trusted platform module"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 14:30
S238	328	S237 and ((seal\$5 and unseal\$5) ((encrypt\$5 decrypt\$5) with ((public private) with key)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 12:22
S239	81	S238 and ((combin\$5 assembl\$5 add\$5) with ((generat\$5 creat\$5) near5 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 12:32

S240	51	S239 and ((first and second) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 12:26
S241	240	S238 and ((generat\$5 creat\$5) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 14:03
S242	189	S241 not S240	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 14:02
S243	4	S242 and england.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 14:02
S244	70	S241 and ((plurality multiple) with (token module))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 14:03
S245	84	S241 and ((plurality multiple) with (token module dongle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 14:03
S246	58	S245 not S240	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 14:04
S247	342	S237 and (token dongle "smart card")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 14:38
S248	167	S247 and (secur\$5 near5 module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 14:31
S249	123	S248 and ((public and private) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 14:31
S250	97	S249 and (generat\$5 near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 14:32

S251	39	S250 not S242	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:38
S252	35	S237 and (token dongle "smart card" ((hardware physical) with token)) and ((software virtual logical second) near5 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 15:19
S255	19	S237 and (token dongle "smart card" ((hardware physical) adj2 token)) and ((software virtual logical second) adj3 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 15:25
S256	1	"5075842".PN.	USPAT; USOCR	OR	ON	2007/07/25 15:22
S257	1	"5737604".PN.	USPAT; USOCR	OR	ON	2007/07/25 15:22
S258	1	"5844986".PN.	USPAT; USOCR	OR	ON	2007/07/25 15:23
S259	1	"5937063".PN.	USPAT; USOCR	OR	ON	2007/07/25 15:23
S260	1	"6175924".PN.	USPAT; USOCR	OR	ON	2007/07/25 15:24
S261	1	"6507904".PN.	USPAT; USOCR	OR	ON	2007/07/25 15:24
S262	9	S237 and (token dongle "smart card" ((hardware physical) adj2 token)) and (((software virtual logical second) adj3 (token module software)) with ((secure \$3 protect\$3) near8 memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:37
S263	83	(token dongle "smart card" ((hardware physical) adj2 token)) and (((software virtual logical second) adj3 (token module software)) with ((secure \$3 protect\$3) near8 memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:38
S264	3237	tpm "trusted platform module"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:38
S265	328	S264 and ((seal\$5 and unseal \$5) ((encrypt\$5 decrypt\$5) with ((public private) with key)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:38
S266	81	S265 and ((combin\$5 assembl \$5 add\$5) with ((generat\$5 creat\$5) near5 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:38

S267	51	S266 and ((first and second) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:38
S268	240	S265 and ((generat\$5 creat\$5) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:38
S269	189	S268 not S267	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:38
S270	342	S264 and (token dongle "smart card")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:38
S271	167	S270 and (secur\$5 near5 module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:38
S272	123	S271 and ((public and private) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:38
S273	97	S272 and (generat\$5 near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 16:38
S274	39	S273 not S269	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 17:27
S275	4852	("smart card" token dongle) and ((secur\$5 crypto\$5) near8 module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 17:29
S276	1716	S275 and (generat\$5 near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 17:30
S277	884	S275 and (generat\$5 near5 key) and ((first and second) near7 (key portion part))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 17:31

S278	734	S277 and ((combin\$5 add\$5 assembl\$5) with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 17:32
S279	46	S277 and ((combin\$5 add\$5 assembl\$5) with (third near\$5 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 17:48
S280	51	"6012144"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 17:56
S281	600	(decrypt\$5 with ((first and second) near\$5 key)) and ((combin\$5 assembl\$5 add\$5 creat\$5 generat\$5) with (third near\$5 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 17:58
S282	10	S281 and ((first near\$3 key) with "smart card") and ((second near\$4 key) with ((key "random number") with generat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 18:03
S283	19	S281 and ((first near\$3 key) with (token dongle)) and ((second near\$4 key) with (((key "random number") with generat\$5) module component token))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 18:04
S284	18	S283 not S282	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 18:10
S285	2	"6754820".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/25 18:10
S286	2	"20030163711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 13:22
S287	9086	(token component) with ((sign\$5 bind\$5 seal\$5) near\$7 (configuration criteria criterion specification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 13:30
S288	26	S287 and (generat\$5 near\$5 key) with (random near\$2 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 13:34

S289	6438	(token component monitor "operating system" kernel application) near4 ((sign\$5 bind \$5 seal\$5) near5 (configuration criteria criterion specification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:04
S290	23	S289 and (generat\$5 near5 key) with (random near2 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:07
S291	5	S289 and (secur\$5 near7 ((releas\$5 unseal\$5 un-seal\$5 decrypt\$5) near4 configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:15
S292	89	S289 and ((releas\$5 unseal\$5 un-seal\$5 decrypt\$5) near4 configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:18
S293	84	S292 not S291	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:18
S294	303	S287 and ((encrypt\$5 sign\$5 seal\$5) near8 (configuration near5 information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:23
S295	2175	S289 and (TPM (trusted platform module))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:28
S296	172	S295 and (secur\$5 near5 environment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:30
S297	53	S289 and (TPM "trusted platform module")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:31
S298	53	S297 and (TPM (trusted platform module))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:32
S299	5	S297 and (secur\$5 near5 environment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:32

S300	48	S297 not S299	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:32
S301	4428	(token component monitor "operating system" kernel application) near4 ((sign\$5 bind \$5 seal\$5) near5 configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:34
S302	47	(token component monitor "operating system" kernel application) near4 ((sign\$5 bind \$5 seal\$5) near5 configuration) and (tpm "trusted platform module")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:35
S303	2	"20020152392"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:37
S304	2	"4799258".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:37
S305	82	((record\$5 stor\$5) near5 metrics) and (TPM "trusted platform module")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:43
S306	22	((record\$5 stor\$5) near5 (hardware near3 (metrics configurations))) and (TPM "trusted platform module")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:44
S307	7	((sign\$5 bind\$5 seal\$5) near5 (hardware near3 (metrics configurations))) and (TPM "trusted platform module")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:55
S308	13	((sign\$5 bind\$5 seal\$5) near5 ((hardware software) near3 (metric configuration specification))) and (TPM "trusted platform module")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:57
S309	6	S308 not S307	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:57
S310	1351	((sign\$5 bind\$5 seal\$5) near5 ((hardware software) near3 (metric configuration specification)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 14:58

S311	10	S310 and ((secure safe) near2 environment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 15:04
S312	9	((sign\$5 bind\$5 seal\$5) with (encrypted near8 ((hardware software) near3 (metric configuration specification criteria criterion))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 15:22
S313	205	((sign\$5 bind\$5 seal\$5) with (encrypted near8 (metric configuration specification criteria criterion)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 15:27
S314	3	((sign\$5 bind\$5 seal\$5) with (encrypted near8 (configuration adj2 register)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 15:38
S315	134	((sign\$5 bind\$5 seal\$5) with (encrypted near8 configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 15:39
S316	133	((sign\$5 seal\$5) with (encrypted near8 configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 15:39
S317	16	("20030110372" "20030163711" "20040117625" "20050021968" "7058807" "7103771" "7216369").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/27 16:16
S318	2	"6988250".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 10:10
S319	6	("20050138384" "20050216736" "20050251857").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 10:18
S320	57	(sign\$5 encrypt\$5 seal\$5) with ((hardware platform) near4 metrics)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 10:36
S321	1268	(sign\$5 encrypt\$5 seal\$5) near5 ((hardware platform) near4 (metrics specifications configurations))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 10:38

S322	55	S321 and ((first and second) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 10:39
S323	2	("5953419").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 10:55
S324	3085	(sign\$5 encrypt\$5 seal\$5) near5 ((first and second) near3 (metrics specifications configurations))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 11:04
S325	6	(sign\$5 encrypt\$5 seal\$5) near5 ((first and second) near3 ((hardware platform environment) adj2 (metrics specifications configurations)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 11:05
S326	22	(sign\$5 encrypt\$5 seal\$5) near8 ((first and second) near8 ((hardware platform environment) adj2 (metrics specifications configurations)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 11:06
S327	2	S326 and ((first and second) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 11:06
S328	3	S322 and ((first and second) near5 metrics)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 11:09
S329	3	"20020087877"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 11:57
S330	2	"20030163711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 12:01
S331	1	S330 and (second near5 environment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 12:04
S332	0	S329 and (second near5 environment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 12:13

S333	1	(bind\$5 seal\$5) with ((first and second) near5 (environment near5 (criteria criterion)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 12:22
S334	2	(bind\$5 seal\$5) with ((first and second) near5 ((environment platform hardware) near5 (metric specification criteria criterion)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 12:23
S335	8	(bind\$5 seal\$5 sign\$5) with ((first and second) near5 ((environment platform hardware) near5 (metric specification criteria criterion)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 12:24
S336	6	S335 not S334	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 12:25
S337	7	(bind\$5 seal\$5 sign\$5) with ((first and second) near5 ((environment platform hardware) near5 (metric specification criteria criterion))). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 12:33
S338	2	"20050141717"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 12:52
S339	2	"20040064736"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 13:02
S340	2	"20050021668"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 13:07
S341	2	"20050021968"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 13:07
S342	760	(bind\$5 seal\$5 sign\$5 hash\$5) with ((environment platform hardware) near5 (metric specification criteria criterion))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 13:14
S343	23	S342 and tpm and (pcr near2 register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 13:15

S344	18	("20020129261" "20030005317" "20030115468" "20030133575" "5727061" "5790668" "6351813" "6393565" "6741991").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 13:46
S345	1	S344 and tpm and ((hardware platform) near4 (metrics specification criteria criterion))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 13:51
S346	35	S342 and tpm and ((hardware platform) near4 (metrics specification criteria criterion))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 13:57
S347	15	S346 not S343	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 13:57
S348	2	("6944772").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:54
S349	760	(bind\$5 seal\$5 sign\$5 hash\$5) with ((environment platform hardware) near5 (metric specification criteria criterion))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:02
S350	35	S349 and tpm and ((hardware platform) near4 (metrics specification criteria criterion))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:02
S351	5	(bind\$5 seal\$5 sign\$5 hash\$5) with ((environment platform hardware) near5 (metric specification criteria criterion)) and ((first and second) near5 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 11:39
S352	8	(bind\$5 seal\$5 sign\$5 hash\$5) with ((environment platform hardware) near5 (metric specification criteria criterion)) and (((first and second) (physical and virtual)) near5 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 11:40
S353	14565	"henning"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 12:00

S354	69	"henning" and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 12:00
S355	1	"henning" and token and seal\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 12:00
S356	4	"henning" and token and metrics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 12:01
S357	14	((sign\$5 bind\$5 seal\$5) near5 ((hardware software) near3 (metric configuration specification))) and (TPM "trusted platform module")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 12:06
S358	14	((sign\$5 bind\$5 seal\$5) near5 ((hardware software) near3 (metric configuration specification))) and (TPM "trusted platform module")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 12:15

9/ 4/ 08 3:13:05 PM

C:\ Documents and Settings\ ASherkat\ My Documents\ EAST\ Workspaces\ 10082600.wsp